

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Revision date: 11/4/2019 Version: 1.1

	substance/mixture and of the company/undertaking
.1. Product identifier	
Product form	: Mixture
Product name	: D-GREEN
Product code	: VDG
.2. Relevant identified uses of the s	substance or mixture and uses advised against
.2.1. Relevant identified uses lo additional information available	
.2.2. Uses advised against	
to additional information available .3. Details of the supplier of the safe	ety data sheet
enco Group Limited	
ill Bridge Lane	
campton N1 2SX - U.K.	
01522 787978 - F 01522 787838 ales@v-tuf.com	
.4. Emergency telephone number	
mergency number	: 01522 787978
2 .	OFFICE HOURS MONDAY TO FRIDAY 9:00-4:00PM
ECTION 2: Hazards identification. 1. Classification of the substance of t	
Classification according to Regulation (E	
kin corrosion/irritation, Category 1B	H314
erious eye damage/eye irritation, Category	v 1 H318
,,	
lazardous to the aquatic environment — Cl	
lazardous to the aquatic environment — Cl	
lazardous to the aquatic environment — Cl full text of H statements : see section 16	hronic Hazard, Category 2 H411
lazardous to the aquatic environment — Cl full text of H statements : see section 16 adverse physicochemical, human health	hronic Hazard, Category 2 H411
lazardous to the aquatic environment — Cl ull text of H statements : see section 16 dverse physicochemical, human health causes severe skin burns and eye damage	hronic Hazard, Category 2 H411
lazardous to the aquatic environment — Cl ull text of H statements : see section 16 Adverse physicochemical, human health Causes severe skin burns and eye damage	hronic Hazard, Category 2 H411
Hazardous to the aquatic environment — Cl Full text of H statements : see section 16 Adverse physicochemical, human health	hronic Hazard, Category 2 H411 a and environmental effects b. Causes serious eye damage. Toxic to aquatic life with long lasting effects.
Hazardous to the aquatic environment — Cl Full text of H statements : see section 16 Adverse physicochemical, human health Causes severe skin burns and eye damage 2.2. Label elements	hronic Hazard, Category 2 H411 a and environmental effects b. Causes serious eye damage. Toxic to aquatic life with long lasting effects.
Azardous to the aquatic environment — Cl Full text of H statements : see section 16 Adverse physicochemical, human health Causes severe skin burns and eye damage 2.2. Label elements Cabelling according to Regulation (EC) N	hronic Hazard, Category 2 H411 a and environmental effects b. Causes serious eye damage. Toxic to aquatic life with long lasting effects.
Azardous to the aquatic environment — Cl full text of H statements : see section 16 Adverse physicochemical, human health causes severe skin burns and eye damage .2. Label elements abelling according to Regulation (EC) N	hronic Hazard, Category 2 H411 a and environmental effects b. Causes serious eye damage. Toxic to aquatic life with long lasting effects.
lazardous to the aquatic environment — Cl ull text of H statements : see section 16 dverse physicochemical, human health causes severe skin burns and eye damage .2. Label elements abelling according to Regulation (EC) N	hronic Hazard, Category 2 H411 a and environmental effects b. Causes serious eye damage. Toxic to aquatic life with long lasting effects.
azardous to the aquatic environment — Cl ull text of H statements : see section 16 dverse physicochemical, human health auses severe skin burns and eye damage .2. Label elements abelling according to Regulation (EC) N	hronic Hazard, Category 2 H411 and environmental effects Causes serious eye damage. Toxic to aquatic life with long lasting effects. ko. 1272/2008 [CLP] : : : : : : : : : : : : : : : : : :
azardous to the aquatic environment — Cl ull text of H statements : see section 16 dverse physicochemical, human health auses severe skin burns and eye damage .2. Label elements abelling according to Regulation (EC) N azard pictograms (CLP)	hronic Hazard, Category 2 H411 a and environmental effects a. Causes serious eye damage. Toxic to aquatic life with long lasting effects. Ao. 1272/2008 [CLP]
lazardous to the aquatic environment — Cl ull text of H statements : see section 16 Indverse physicochemical, human health causes severe skin burns and eye damage .2. Label elements abelling according to Regulation (EC) N lazard pictograms (CLP)	hronic Hazard, Category 2 H411 a and environmental effects A. Causes serious eye damage. Toxic to aquatic life with long lasting effects. A. 1272/2008 [CLP]
lazardous to the aquatic environment — Cl ull text of H statements : see section 16 Indverse physicochemical, human health causes severe skin burns and eye damage .2. Label elements abelling according to Regulation (EC) N lazard pictograms (CLP)	hronic Hazard, Category 2 H411 and environmental effects A Causes serious eye damage. Toxic to aquatic life with long lasting effects. A Causes Serious ECLPI
azardous to the aquatic environment — Cl ull text of H statements : see section 16 dverse physicochemical, human health auses severe skin burns and eye damage .2. Label elements abelling according to Regulation (EC) N azard pictograms (CLP) ignal word (CLP) azardous ingredients	hronic Hazard, Category 2 H411 and environmental effects A Causes serious eye damage. Toxic to aquatic life with long lasting effects. A Causes Serious ECLPI
lazardous to the aquatic environment — Cl ull text of H statements : see section 16 adverse physicochemical, human health causes severe skin burns and eye damage .2. Label elements abelling according to Regulation (EC) N lazard pictograms (CLP) ignal word (CLP) lazardous ingredients lazard statements (CLP)	hronic Hazard, Category 2 H411 and environmental effects A Causes serious eye damage. Toxic to aquatic life with long lasting effects. A Causes Serious eye damage. Toxic to aquatic life with long lasting effects. A Causes Serious eye damage. Toxic to aquatic life with long lasting effects. A Causes Serious eye damage. G S CLPJ C C C C C C C C C C C C C C C C C C C
azardous to the aquatic environment — Cl ull text of H statements : see section 16 dverse physicochemical, human health auses severe skin burns and eye damage 2. Label elements abelling according to Regulation (EC) N lazard pictograms (CLP) ignal word (CLP) lazardous ingredients lazard statements (CLP)	hronic Hazard, Category 2 H411 and environmental effects Causes serious eye damage. Toxic to aquatic life with long lasting effects. Ac. 1272/2008 [CLP]
azardous to the aquatic environment — Cl ull text of H statements : see section 16 dverse physicochemical, human health auses severe skin burns and eye damage 2. Label elements abelling according to Regulation (EC) N lazard pictograms (CLP) ignal word (CLP) lazardous ingredients lazard statements (CLP)	hronic Hazard, Category 2 H411 and environmental effects a. Causes serious eye damage. Toxic to aquatic life with long lasting effects. A. 1272/2008 [CLP]
azardous to the aquatic environment — Cl ull text of H statements : see section 16 dverse physicochemical, human health auses severe skin burns and eye damage .2. Label elements abelling according to Regulation (EC) N azard pictograms (CLP) ignal word (CLP) azardous ingredients azard statements (CLP)	hronic Hazard, Category 2 H411 and environmental effects causes serious eye damage. Toxic to aquatic life with long lasting effects. Ac. 1272/2008 [CLP]
azardous to the aquatic environment — Cl ull text of H statements : see section 16 dverse physicochemical, human health auses severe skin burns and eye damage 2. Label elements abelling according to Regulation (EC) N lazard pictograms (CLP) ignal word (CLP) lazardous ingredients lazard statements (CLP)	hronic Hazard, Category 2 H411 and environmental effects causes serious eye damage. Toxic to aquatic life with long lasting effects. A. 272/2008 [CLP]
lazardous to the aquatic environment — Cl ull text of H statements : see section 16 adverse physicochemical, human health causes severe skin burns and eye damage .2. Label elements abelling according to Regulation (EC) N lazard pictograms (CLP) ignal word (CLP) lazardous ingredients lazard statements (CLP)	hronic Hazard, Category 2 H411 a and environmental effects . Causes serious eye damage. Toxic to aquatic life with long lasting effects. Io. 1272/2008 [CLP]
azardous to the aquatic environment — Cl ull text of H statements : see section 16 dverse physicochemical, human health auses severe skin burns and eye damage 2. Label elements abelling according to Regulation (EC) N lazard pictograms (CLP) ignal word (CLP) lazardous ingredients lazard statements (CLP)	hronic Hazard, Category 2 H411 A and environmental effects A Causes serious eye damage. Toxic to aquatic life with long lasting effects. A. Causes serious eye damage. Toxic to aquatic life with long lasting effects. A. 1272/2008 [CLP] C Control of the environment of the environment. Page A content of the environment. P273 - Avoid release to the environment. P280 - Wear protective gloves/protective clothing/eye protection/face protection. P301+P312 - IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell. P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing Rines eskin with water/shower. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove
azardous to the aquatic environment — Cl ull text of H statements : see section 16 dverse physicochemical, human health auses severe skin burns and eye damage .2. Label elements abelling according to Regulation (EC) N azard pictograms (CLP) ignal word (CLP) azardous ingredients azard statements (CLP)	hronic Hazard, Category 2 H411 and environmental effects causes serious eye damage. Toxic to aquatic life with long lasting effects. Io. 1272/2008 [CLP]
azardous to the aquatic environment — Cl ull text of H statements : see section 16 dverse physicochemical, human health auses severe skin burns and eye damage .2. Label elements abelling according to Regulation (EC) N azard pictograms (CLP) ignal word (CLP) azardous ingredients azard statements (CLP)	hronic Hazard, Category 2 H411 and environmental effects a Causes serious eye damage. Toxic to aquatic life with long lasting effects. Acauses serious eye damage. Toxic to aquatic life with long lasting effects. Acauses serious eye damage. Toxic to aquatic life with long lasting effects. Acauses Serious eye damage. CLPI Control Control Contr
lazardous to the aquatic environment — Cl ull text of H statements : see section 16 adverse physicochemical, human health causes severe skin burns and eye damage .2. Label elements abelling according to Regulation (EC) N lazard pictograms (CLP) ignal word (CLP) lazardous ingredients lazard statements (CLP)	hronic Hazard, Category 2 H411 and environmental effects . Causes serious eye damage. Toxic to aquatic life with long lasting effects. Io. 1272/2008 [CLP]
Azardous to the aquatic environment — Cl full text of H statements : see section 16 Adverse physicochemical, human health Causes severe skin burns and eye damage 2.2. Label elements Abelling according to Regulation (EC) N	hronic Hazard, Category 2 H411 and environmental effects Causes serious eye damage. Toxic to aquatic life with long lasting effects. Acauses serious eye damage. Toxic to aquatic life with long lasting effects. Acauses serious eye damage. Toxic to aquatic life with long lasting effects. Acauses serious eye damage. Toxic to aquatic life with long lasting effects. Acauses series a constraint of the series of the ser
azardous to the aquatic environment — Cl ull text of H statements : see section 16 dverse physicochemical, human health auses severe skin burns and eye damage .2. Label elements abelling according to Regulation (EC) N azard pictograms (CLP) ignal word (CLP) azardous ingredients azard statements (CLP)	hronic Hazard, Category 2 H411 and environmental effects . Causes serious eye damage. Toxic to aquatic life with long lasting effects. Io. 1272/2008 [CLP]
azardous to the aquatic environment — Cl ull text of H statements : see section 16 dverse physicochemical, human health auses severe skin burns and eye damage .2. Label elements abelling according to Regulation (EC) N azard pictograms (CLP) ignal word (CLP) azardous ingredients azard statements (CLP)	hronic Hazard, Category 2 H411 and environmental effects Causes serious eye damage. Toxic to aquatic life with long lasting effects. Action 1272/2008 [CLP] Constrained a series of the environment of the environment of the environment of the environment of the environment. Banger Causers severe skin burns and eye damage. H411 - Toxic to aquatic life with long lasting effects. P102- Keep out of reach of children. P273 - Avoid release to the environment. P206- Wear protective gloves/protective clothing/eye protection/face protection. P301+P312 - IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell. P303+P361+P353 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 - Immediately call a POISON CENTER or doctor. P332+P313 - If skin irritation occurs: Get medical advice/attention. P332+P313 - If skin irritation opersists: Get medical advice/attention. P332+P313 - If skin irritation persists: Get medical advice/attention. P332+P313 - If skin erritation persists: Get medical advice/attention.

V-TUF

Aquatic Chronic 1, H410

D-GREEN

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 3: Composition/information on 3.1. Substances Not applicable	ingredients		
3.2. Mixtures			
Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Quaternary ammonium compounds, benzyl (C12 - C16) alkyl dimethyl,	(CAS-No.) 68424-85-1 (EC-No.) 270-325-2	>=5 - <10	Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314 Eye Dam. 1, H318 Aquatic Acute 1, H400

Full text of H-statements: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Call a physician immediately.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Rinse skin with water/shower. Take off immediately all contaminated clothing. Call a physician immediately.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.
First-aid measures after ingestion	: Rinse mouth. Do not induce vomiting. Call a physician immediately.
4.2. Most important symptoms and eff	
Symptoms/effects after skin contact	: Burns.
Symptoms/effects after eye contact	: Serious damage to eyes.
Symptoms/effects after ingestion	: Burns.
-	al attention and special treatment needed
Treat symptomatically.	
SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.
5.2. Special hazards arising from the s	
Hazardous decomposition products in case of	fire : Toxic fumes may be released.
5.3. Advice for firefighters Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
SECTION 6: Accidental release me	asures
	equipment and emergency procedures
6.1.1. For non-emergency personnel	
Emergency procedures	: Ventilate spillage area. Avoid contact with skin and eyes. Do not breathe dust/fume/gas/mist/vapours/spray.
6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
6.2. Environmental precautions	
Avoid release to the environment.	
6.3. Methods and material for containr	•
For containment	: Collect spillage.
Methods for cleaning up	: Take up liquid spill into absorbent material.
Other information	: Dispose of materials or solid residues at an authorized site.
6.4. Reference to other sections	
For further information refer to section 13.	
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Ensure good ventilation of the work station. Avoid contact with skin and eyes. Do not

breathe dust/fume/gas/mist/vapours/spray. Wear personal protective equipment.



Hygiene measures	: Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, incl	
Storage conditions	: Store locked up. Store in a well-ventilated place. Keep cool.
7.3. Specific end use(s)	
No additional information available	
SECTION 8: Exposure controls/p	ersonal protection
8.1. Control parameters	
No additional information available	
8.2. Exposure controls	
Appropriate engineering controls:	
Ensure good ventilation of the work station.	
Hand protection:	
Protective gloves	
Eye protection:	
Safety glasses	
Skin and body protection:	
Wear suitable protective clothing	
Respiratory protection:	
In case of insufficient ventilation, wear suita	able respiratory equipment

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical	properties
9.1. Information on basic physical and o	
Physical state	: Liquid
Colour	: Various.
Odour	: mild.
Odour threshold	: No data available
рН	:6-10
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Not applicable
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density	:1-1.03
Solubility	: No data available
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available
9.2. Other information	
No additional information available	

No additional information available

SECTION 10: Stability and reactivity
10.1. Reactivity
The product is non-reactive under normal conditions of use, storage and transport.

V-TUF

D-GREEN

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

10.2. Chemical stability
Stable under normal conditions.
10.3. Possibility of hazardous reactions
No dangerous reactions known under normal conditions of use.
10.4. Conditions to avoid
None under recommended storage and handling conditions (see section 7).
10.5. Incompatible materials
No additional information available
10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information	ation
11.1. Information on toxicological effect	
Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified
Quaternary ammonium compounds, k	oenzyl (C12 - C16) alkyl dimethyl, (68424-85-1)
LD50 oral rat	795 mg/kg
Skin corrosion/irritation	: Causes severe skin burns and eye damage.
	pH: 6 - 10
Serious eye damage/irritation	: Causes serious eye damage.
	pH: 6 - 10
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified

SECTION 12: Ecological information		
12.1. Toxicity		
Ecology - general	: Toxic to aquatic life with long lasting effects.	
Hazardous to the aquatic environment, short- term (acute)	: Not classified	
Hazardous to the aquatic environment, long- term (chronic)	: Toxic to aquatic life with long lasting effects.	

EC50 Daphnia 1	0.016 mg/l
EC10, Pseudokirchneriella subcapitata	0.0025 mg/l (72 Hours)
EC50, Pseudokirchneriella subcapitata	0.02 mg/l (72 Hours)
LC50, Oncorhynchus mykiss (Rainbow trout)	0.85 mg/l (96 Hours)
NOEC, daphnia	0.025 mg/l
2.2. Persistence and degradability	
No additional information available	
2.3. Bioaccumulative potential	
No additional information available	
2.4. Mobility in soil	
No additional information available	
2.5. Results of PBT and vPvB assessment	
No additional information available	
2.6. Other adverse effects	
No additional information available	

SECTION 13: Disposal considerations 13.1. Waste treatment methods Waste treatment methods : Disp

: Dispose of contents/container in accordance with licensed collector's sorting instructions.



Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

ADR	IMDG	ΙΑΤΑ	ADN	RID
4.1. UN number				
UN 3082	UN 3082	UN 3082	UN 3082	UN 3082
4.2. UN proper shippin	g name		•	•
ENVIRONMENTALLY	ENVIRONMENTALL	Y Environmentally hazardous	ENVIRONMENTALLY	ENVIRONMENTALLY
HAZARDOUS	HAZARDOUS	substance, liquid, n.o.s.	HAZARDOUS	HAZARDOUS
SUBSTANCE, LIQUID,	SUBSTANCE, LIQUI	D,	SUBSTANCE, LIQUID,	SUBSTANCE, LIQUID
N.O.S.	N.O.S.		N.O.S.	N.O.S.
Fransport document descr	i			
UN 3082 ENVIRONMENTALLY	UN 3082 ENVIRONMENTALL	UN 3082 Environmentally	UN 3082 ENVIRONMENTALLY	
HAZARDOUS	HAZARDOUS	Y hazardous substance, liquid, n.o.s., 9, III	HAZARDOUS	ENVIRONMENTALLY HAZARDOUS
SUBSTANCE, LIQUID,	SUBSTANCE, LIQUI		SUBSTANCE, LIQUID,	SUBSTANCE, LIQUID
N.O.S., 9, III, (-)	N.O.S., 9, III, MARIN	E	N.O.S., 9, III	N.O.S., 9, III
	POLLUTANT			
14.3. Transport hazard o				
9	9	9	9	9
$\langle 1 1 1 2 \rangle$		\rightarrow	$\langle \cdot \cdot \cdot \rangle = \langle \cdot \cdot \rangle$	$\mathbf{X} \mathbf{X}$
		9	9	
I4.4. Packing group	· · ·	v v	· ·	· ·
		111	III	
14.5. Environmental haz				
Dangerous for the environment : Yes	Dangerous for the environment : Yes	Dangerous for the	Dangerous for the	Dangerous for the
environment. Yes	Marine pollutant : Yes	environment : Yes	environment : Yes	environment : Yes
No supplementary informatic		•		
4.6. Special precautions				
Verland transport				
Classification code (ADR)		: M6		
pecial provisions (ADR)		: 274, 335, 375, 601		
imited quantities (ADR)		: 51		
• • • •				
xcepted quantities (ADR)		: E1		
acking instructions (ADR)		: P001, IBC03, LP01, R001		
pecial packing provisions (A	,	: PP1		
lixed packing provisions (AD		: MP19		
Portable tank and bulk contai	ner instructions	: T4		
ADR)	nor openial proviniona	· TD1 TD20		
Portable tank and bulk contain ADR)	ner special provisions	: TP1, TP29		
ank code (ADR)		: LGBV		
		: AT		
ransport category (ADR)		: 3		
pecial provisions for carriage		: V12		
pecial provisions for carriage	e - Loading,	: CV13		
nloading and handling (ADR		. 00		
lazard identification number	(Kemler No.)	: 90		
Prange plates		90		
		3082		
unnel restriction code (ADR)		-		

Safety Data Sheet



AC code	: •3Z
ransport by sea	
pecial provisions (IMDG)	: 274, 335, 969
imited quantities (IMDG)	: 5 L
xcepted quantities (IMDG)	: E1
acking instructions (IMDG)	: LP01, P001
pecial packing provisions (IMDG)	: PP1
BC packing instructions (IMDG)	: IBC03
ank instructions (IMDG)	: T4
ank special provisions (IMDG)	: TP2, TP29
mS-No. (Fire)	: F-A
mS-No. (Spillage)	: S-F
towage category (IMDG)	: A
ir transport	
CA Excepted quantities (IATA)	: E1
CA Limited quantities (IATA)	: L' : Y964
CA limited quantity max net quantity (IATA)	: 30kgG
CA packing instructions (IATA)	: 964
CA max net quantity (IATA)	: 450L
CAO packing instructions (IATA)	: 964
CAO max net quantity (IATA)	: 450L
pecial provisions (IATA)	: A97, A158, A197
RG code (IATA)	: 9L
nland waterway transport	
Classification code (ADN)	: M6
pecial provisions (ADN)	: 274, 335, 375, 601
imited quantities (ADN)	: 5 L
xcepted quantities (ADN)	: E1
Carriage permitted (ADN)	:T
quipment required (ADN)	: PP
lumber of blue cones/lights (ADN)	:0
ail transport	
Classification code (RID)	: M6
pecial provisions (RID)	: 174, 335, 375, 601
imited quantities (RID)	: 5L
Excepted quantities (RID)	: 5L : E1
acking instructions (RID)	: P001, IBC03, LP01, R001
pecial packing provisions (RID)	: PP1
fixed packing provisions (RID)	: MP19
ortable tank and bulk container instructions (RID)	: T4
ortable tank and bulk container special provisions	: TP1, TP29
RID)	,
ank codes for RID tanks (RID)	: LGBV
ransport category (RID)	:3
pecial provisions for carriage – Packages (RID)	: W12
pecial provisions for carriage - Loading,	: CW13, CW31
nloading and handling (RID)	
colis express (express parcels) (RID)	: CE8

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions Contains no substance on the REACH candidate list Contains no REACH Annex XIV substances



Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Full text of H- and EUH-statements:	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Skin Corr. 1B	Skin corrosion/irritation, Category 1B
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.