

Zylock® PL010

Page: 1

Compilation date: 14/09/2010

Revision date: 08/01/2014

**Revision No:** 8

# Section 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name: Zylock® PL010

Product code: PL010

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Use of substance / mixture:** PC1: Adhesives, sealants.

## 1.3. Details of the supplier of the safety data sheet

Company name: Fenco Group Ltd

18 Crofton Drive

Allenby Industrial Estate

Lincoln LN3 4NR

England

Tel: +44(0)1522 78 79 78

Fax: +44(0)1522 78 78 38

Email: sales@fencogroup.com

Technical Enquiries: sales@zylock.com

# 1.4. Emergency telephone number

Emergency tel: +44(0)1522 78 79 78

## Section 2: Hazards identification

## 2.1. Classification of the substance or mixture

Classification under CHIP: Xi: R36/37; Sens.: R43

Classification under CLP: Skin Irrit. 2: H315; Skin Sens. 1: H317

Most important adverse effects: Irritating to eyes and respiratory system. May cause sensitisation by skin contact.

# 2.2. Label elements

Label elements under CLP:

Hazard statements: H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

Signal words: Warning

Hazard pictograms: GHS07: Exclamation mark



[cont...]



Zylock® PL010

Page: 2

Precautionary statements: P264: Wash hands thoroughly after handling.

P280:Wear protective gloves/protective clothing/eye protection/face protection.

P302+352: IF ON SKIN: Wash with plenty of soap and water.

P333+313: If skin irritation or rash occurs: Get medical advice/attention.

Label elements under CHIP:

Hazard symbols: Irritant.



**Risk phrases:** R36/37: Irritating to eyes and respiratory system.

R43: May cause sensitisation by skin contact.

Safety phrases: S24: Avoid contact with skin.

S37: Wear suitable gloves.

#### 2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

# Section 3: Composition/information on ingredients

#### 3.2. Mixtures

#### Hazardous ingredients:

2-HYDROXYE	THYL METHAC	RYLATE - REACH registere	ed number(s): 01-2119490169-29-0000	
EINECS	CAS	CHIP Classification	CLP Classification	Percent
212-782-2	868-77-9	Xi: R36/38; Sens.: R43	Eye Irrit. 2: H319; Skin Irrit. 2: H315; Skin Sens. 1: H317	1-10%
4-TERT-BUTY	LCYCLOHEXY	L METHACRYLATE		
256-277-5	46729-07-1	Xi: R36/37/38	STOT SE 3: H335; Eye Irrit. 2: H319; Skin Irrit. 2: H315	1-10%
ISOBUTYL M	ETHACRYLATE	- REACH registered number	er(s): 01-2119488331-38-0000	
202-613-0	97-86-9	-: R10; Xi: R36/37/38; Sens.: R43; N: R50	Flam. Liq. 3: H226; Eye Irrit. 2: H319; STOT SE 3: H335; Skin Irrit. 2: H315; Skin Sens. 1: H317; Aquatic Acute 1: H400	1-10%
CUMENE HY	DROPEROXIDE			
201-254-7	80-15-9	O: R7; Xn: R21/22; T: R23; C: R34; Xn: R48/20/22; N: R51/53	Org. Perox. EF: H242; Acute Tox. 3: H331; Acute Tox. 4: H312; Acute Tox. 4: H302; STOT RE 2: H373; Skin Corr. 1B: H314	<1%

[cont...]

# **ZYLOCK®**

## **SAFETY DATA SHEET**

Zylock® PL010

Page: 3

## **Section 4: First aid measures**

## 4.1. Description of first aid measures

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash

immediately with plenty of soap and water.

**Eye contact:** Bathe the eye with running water for 15 minutes. Consult a doctor.

**Ingestion:** Wash out mouth with water. Consult a doctor.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a doctor.

#### 4.2. Most important symptoms and effects, both acute and delayed

**Skin contact:** There may be irritation and redness at the site of contact.

**Eye contact:** There may be irritation and redness. The eyes may water profusely. **Ingestion:** There may be soreness and redness of the mouth and throat.

**Inhalation:** There may be irritation of the throat with a feeling of tightness in the chest. Exposure may

cause coughing or wheezing.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Eye bathing equipment should be available on the premises.

## Section 5: Fire-fighting measures

#### 5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray

to cool containers.

#### 5.2. Special hazards arising from the substance or mixture

**Exposure hazards:** In combustion emits toxic fumes.

#### 5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact

with skin and eyes.

## Section 6: Accidental release measures

# 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions:** Refer to section 8 of SDS for personal protection details. If outside do not approach from

downwind. If outside keep bystanders upwind and away from danger point. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Turn leaking

containers leak-side up to prevent the escape of liquid.

[cont...]



Zylock® PL010

Page: 4

#### 6.2. Environmental precautions

**Environmental precautions:** Do not discharge into drains or rivers. Contain the spillage using bunding.

#### 6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an

appropriate method.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

# Section 7: Handling and storage

## 7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area.

Do not handle in a confined space. Avoid the formation or spread of mists in the air.

## 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in cool, well ventilated area. Keep container tightly closed.

7.3. Specific end use(s)

Specific end use(s): No special requirement.

# Section 8: Exposure controls/personal protection

# 8.1. Control parameters

Hazardous ingredients:

ISOBUTYL METHACRYLATE

Workplace exposure limits: Respirable dust

# **DNEL/PNEC Values**

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	300 mg/m3	-	-	-

**DNEL / PNEC** No data available.

# 8.2. Exposure controls

**Engineering measures:** Ensure there is sufficient ventilation of the area.

Respiratory protection: Self-contained breathing apparatus must be available in case of emergency.

Hand protection: Protective gloves.

**Eye protection:** Safety glasses. Ensure eye bath is to hand.

**Skin protection:** Protective clothing.

[cont...]



Zylock® PL010

**Page:** 5

Viscosity: Viscous Melting point/range°C: Not Determined

Boiling point/range°C: Not Determined upper: Not Determined

Flammability limits %: lower: Not Determined Autoflammability °C: Not Determined

Flash point°C: Not Determined Relative density: 1.033

Vapour pressure: Not Determined VOC g/l: 96

pH: Not Determined

## 9.1. Information on basic physical and chemical properties

State: Liquid Colour: Green

Odour: Sweet-smelling

## 9.2. Other information

Other information: No data available.

# Section 10: Stability and reactivity

## 10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

# 10.2. Chemical stability

Chemical stability: Stable under normal conditions.

# 10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

## 10.4. Conditions to avoid

Conditions to avoid: Heat.

## 10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

## 10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

[cont...]



Zylock® PL010

Page: 6

# **Section 11: Toxicological information**

## 11.1. Information on toxicological effects

Hazardous ingredients:

2-HYDROXYETHYL METHACRYLATE				
DERMAL	RBT	LD50	>3000	mg/kg
ORAL	RAT	LD50	>5000	mg/kg
4-TERT-BUTYLCYCLOHEXYL METHACRYLATE				
ORAL	RAT	LD50	>2000	mg/kg

ISOBUTYL METHACRYLATE					
GASES	MUS	LD50	29.7	mg/l	
ORAL	RAT	LD50	>5000	mg/kg	
CUMENE HYDROPEROXIDE					
ORL	MUS	LDLO	5	gm/kg	
ORL	RAT	LD50	382	mg/kg	
SCU	RAT	LD50	382	mg/kg	

Relevant effects for mixture:			
Effect	Route	Basis	
Irritation	OPT INH	Hazardous: calculated	
Sensitisation	DRM	Hazardous: calculated	

# Symptoms / routes of exposure

2-HYDROXYETHYL METHACRYLATE			
DAPHNIA MAGNA	48H EC50	380	mg/l
GREEN ALGA (Selenastrum capricornutum)	72H EC50	836	mg/l
ORYZLAS LATIPES	96H LC50	>100	mg/l
PSEUDOMONAS FLUORESCENS	16H EC50	>3000	mg/l
ISOBUTYL METHACRYLATE			
Daphnia magna	48H EC50	>29	mg/l
GREEN ALGA (Selenastrum capricornutum)	72H IC50	16	mg/l
RAINBOW TROUT (Oncorhynchus mykiss)	96H LC50	20	mg/l

[cont...]



Zylock® PL010

Skin contact: There may be irritation and redness at the site of contact.

**Eye contact:** There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest. Exposure may

cause coughing or wheezing.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

# **Section 12: Ecological information**

12.1. Toxicity

Hazardous ingredients:

12.2. Persistence and degradability

Persistence and degradability: Biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

Mobility: Readily absorbed into soil.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

# Section 13: Disposal considerations

#### 13.1. Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal company.

**NB:** The user's attention is drawn to the possible existence of regional or national

regulations regarding disposal.

# **Section 14: Transport information**

**Transport class:** This product does not require a classification for transport.

# **Section 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

[cont...]

The information contained herein is produced in good faith and is believed to be reliable but is for guidance only. Zylock® and its agents cannot assume liability or responsibility for results obtained in the use of its products by persons whose methods are outside or beyond our control. It is the users responsibility to determine the suitability of any of the products and methods of use or preparation prior to use mentioned in our literature and furthermore the users responsibility to observe and adopt such precautions as may be advisable for the protection of personnel and property in the handling and use of any of our products.

Fenco Group Ltd, 18 Crofton Drive, Allenby Industrial Estate, Lincoln LN3 4NR, England | Tel: +44(0)1522 78 79 78 Fax: +44(0)1522 78 78 38 | Email: sales@zylock.com | web: www.zylock.com | Zylock® is a brand of Fenco Group

Page: 7

# **ZYLOCK®**

## **SAFETY DATA SHEET**

Zylock® PL010

Page: 8

#### 15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture

A chemical safety assessment has not been carried out for the substance of the mixture

by the supplier.

# **Section 16: Other information**

#### Other information

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No 453/2010.

\* indicates text in the SDS which has changed since the last revision.

**ABBREVIATIONS** 

PBT - Persistant Bioaccumulative Toxic

VOC - Volatile Organic Content

STP - Sewage Treatment Plant

LC0 - Maximum Sublethal Concentration

LC50 - Lethal Concentration 50%

LD50 - Lethal Dose 50%

PNEC - Predicted No Effect Concentration

DNEL - Derived No Effect Level

OPT - Opthalmic

ING - Ingestion

RBT - Rabbit

MUS - Mouse

INH - Inhalation

DRM - Dermal

ORL - Oral

Phrases used in s.2 and s.3: H226: Flammable liquid and vapour.

H242: Heating may cause a fire.

H302: Harmful if swallowed.

H312: Harmful in contact with skin.

H314: Causes severe skin burns and eye damage.

H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

H319: Causes serious eye irritation.

H331: Toxic if inhaled.

H335: May cause respiratory irritation.

H373: May cause damage to organs <or state all organs affected, if known> through prolonged or repeated exposure <state route of exposure if it is conclusively proven that

no other routes of exposure cause the hazard>.

H400: Very toxic to aquatic life.

R7: May cause fire.

R10: Flammable.

R21/22: Harmful in contact with skin and if swallowed.

R23: Toxic by inhalation.

[cont...]



Zylock® PL010

Page: 9

R34: Causes burns.

R36/37/38: Irritating to eyes, respiratory system and skin.

R36/37: Irritating to eyes and respiratory system.

R36/38: Irritating to eyes and skin.

R43: May cause sensitisation by skin contact.

R48/20/22: Harmful: danger of serious damage to health by prolonged exposure

through inhalation and if swallowed. R50: Very toxic to aquatic organisms.

R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the

aquatic environment.

**Legend to abbreviations:** PNEC = predicted no effect level

DNEL = derived no effect level

LD50 = median lethal dose

LC50 = median lethal concentration EC50 = median effective concentration IC50 = median inhibitory concentration

dw = dry weight
bw = body weight
cc = closed cup
oc = open cup

MUS = mouse

GPG = guinea pig

RBT = rabbit

HAM = hamster
HMN = human
MAM = mammal
PGN = pigeon
IVN = intravenous

SKN = skin

DRM = dermal

OCC = ocular/corneal

SCU = subcutaneous

PCP = phycico-chemical properties

Legal disclaimer: This company shall not be held liable for any damage resulting from handling or from contact with

the above product.

[final page]