

Zylock PL011 GREEN

Page: 1

Compilation date: 05/08/2013 Revision No: 1

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: Zylock PL011 GREEN Product code: PL011GRN

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: PC1: Adhesives, sealants.

1.3. Details of the supplier of the safety data sheet

Company name:	Fenco Group Ltd
	18 Crofton Drive
	Allenby Industrial Estate
	Lincoln LN3 4NR
	England
Tel:	+44(0)1522 78 79 78
Fax:	+44(0)1522 78 78 38
Email:	sales@fencogroup.com
Technical Enquiries:	sales@zylock.com

1.4. Emergency telephone number

Emergency tel: +44(0)1522 78 79 78

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CHIP:	Xi: R36/37; Sens.: R43
Classification under CLP:	Skin Sens. 1: H317; Skin Irrit. 2: H315
Most important adverse effects:	Irritating to eyes and respiratory system. May cause sensitisation by skin contact.

2.2. Label elements

Label elements under CLP:

Hazard statements:	H317: May cause an allergic skin reaction.
	H315: Causes skin irritation.
Signal words:	Warning
Hazard pictograms:	GHS07: Exclamation mark
	A





[cont...]

DCK The information contained herein is produced in good faith and is believed to be reliable but is for guidance only. Zylock[®] and its agents cannot assume liability or responsibility for results obtained in the use of its products by persons whose methods are outside or beyond our control. It is the users responsibility to determine the suitability of any of the products and methods of use or preparation prior to use mentioned in our literature and furthermore the users responsibility to observe and adopt such precautions as may be advisable for the protection of personnel and property in the handling and use of any of our products.

Fenco Group Ltd, 18 Crofton Drive, Allenby Industrial Estate, Lincoln LN3 4NR, England | Tel: +44(0)1522 78 79 78 Fax: +44(0)1522 78 78 38 Email: sales@zylock.com web: www.zylock.com Zylock® is a brand of Fenco Group



SAFETY DATA SHEET

Zylock PL011 GREEN

Page: 2

Precautionary statements:	P280: Wear protective gloves/protective clothing/eye protection/face protection.
	P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	P333+313: If skin irritation or rash occurs: Get medical advice/attention.
	P264: Wash hands thoroughly after handling.
	P302+352: IF ON SKIN: Wash with plenty of soap and water.
Label elements under CHIP:	
Hazard symbols:	Irritant.
	×
Risk phrases:	R36/37: Irritating to eyes and respiratory system.
	R43: May cause sensitisation by skin contact.
Safety phrases:	S24: Avoid contact with skin.

S37: Wear suitable gloves.

Precautionary phrases: Contains hydroxyethyl methacrylate. May produce an allergic reaction.

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

ISOBUTYL METHACRYLATE - REACH	I registered nu	mber(s): 01-2119488331-38-	0000	
EINECS	CAS	CHIP Classification	CLP Classification	Percent
202-613-0	97-86-9	-: R10; Xi: R36/37/38; Sens.: R43; N: R50	Flam. Liq. 3: H226; Eye Irrit. 2: H319; STOT SE 3: H335; Skin Irrit. 2: H315; Skin Sens. 1: H317; Aquatic Acute 1: H400	1-10%
CUMENE HYDROPEROXIDE				
201-254-7	80-15-9	O: R7; Xn: R21/22; T: R23; C: R34; Xn: R48/20/22; N: R51/53	Org. Perox. EF: H242; Acute Tox. 3: H331; Acute Tox. 4: H312; Acute Tox. 4: H302; STOT RE 2: H373; Skin Corr. 1B: H314	1-10%
1,2,3,4-TETRAHYDROQUINOLINE				
211-237-6	635-46-1	Xi: R36/37/38	Skin Irrit. 2: H315; Eye Irrit. 2: H319; STOT SE 3: H335	<1%

[cont...]

The information contained herein is produced in good faith and is believed to be reliable but is for guidance only. Zylock[®] and its agents cannot assume liability or responsibility for results obtained in the use of its products by persons whose methods are outside or beyond our control. It is the users responsibility to determine the suitability of any of the products and methods of use or preparation prior to use mentioned in our literature and furthermore the users responsibility to observe and adopt such precautions as may be advisable for the protection of personnel and property in the handling and use of any of our products.

Fenco Group Ltd, 18 Crofton Drive, Allenby Industrial Estate, Lincoln LN3 4NR, England | Tel: +44(0)1522 78 79 78 Fax: +44(0)1522 78 78 38 | Email: sales@zylock.com | web: www.zylock.com | Zylock[®] is a brand of Fenco Group



Page: 3

Section 4: First aid measures

4.1. Description of first aid meas	ures
------------------------------------	------

Skin contact:	Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash	
	immediately with plenty of soap and water.	
Eye contact:	Bathe the eye with running water for 15 minutes. Consult a doctor.	
Ingestion:	Wash out mouth with water. Consult a doctor.	
Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a		
2. Most important symptoms and effe	ects, both acute and delayed	
Skin contact:	There may be irritation and redness at the site of contact.	
Eye contact:	There may be irritation and redness. The eyes may water profusely.	
Ingestion:	There may be soreness and redness of the mouth and throat.	
Inhalation:	There may be irritation of the throat with a feeling of tightness in the chest. Exposure may cause coughing or wheezing.	

Immediate / special treatment: Eye bathing equipment should be available on the premises.

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details. If outside do not approach from I downwind. If outside keep bystanders upwind and away from danger point. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Turn leaking containers leak-side up to prevent the escape of liquid.

[cont...]

TYLOCK[®] The information contained herein is produced in good faith and is believed to be reliable but is for guidance only. Zylock[®] and its agents cannot assume liability or responsibility for results obtained in the use of its products by persons whose methods are outside or beyond our control. It is the users responsibility to determine the suitability of any of the products and methods of use or preparation prior to use mentioned in our literature and furthermore the users responsibility to observe and adopt such precautions as may be advisable for the protection of personnel and property in the handling and use of any of our products.



Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area. Do not handle in a confined space. Avoid the formation or spread of mists in the air.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in cool, well ventilated area. Keep container tightly closed.

7.3. Specific end use(s)

Specific end use(s): No special requirement.

Section 8: Exposure controls/personal protection

8.1. Control parameters

Hazardous ingredients: DNEL/PNEC Values

DNEL / PNEC No data available.

ISOBUTYL METHACRYL	.ATE			
Workplace exposure lim	its:		Respirable dust	
State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	300 mg/m3	-	-	-

8.2. Exposure controls

Engineering measures:	Ensure there is sufficient ventilation of the area.
Respiratory protection:	Self-contained breathing apparatus must be available in case of emergency.
Hand protection:	Protective gloves.
Eye protection:	Safety glasses. Ensure eye bath is to hand.
Skin protection:	Protective clothing.



ZYLOCK[®] The information contained herein is produced in good faith and is believed to be reliable but is for guidance only. Zylock[®] and its agents cannot assume liability or responsibility for results obtained in the use of its products by persons whose methods are outside or beyond our control. It is the users responsibility to determine the suitability of any of the products and methods of use or preparation prior to use mentioned in our literature and furthermore the users responsibility to observe and adopt such precautions as may be advisable for the protection of personnel and property in the handling and use of any of our products.

Fenco Group Ltd, 18 Crofton Drive, Allenby Industrial Estate, Lincoln LN3 4NR, England | Tel: +44(0)1522 78 79 78 Fax: +44(0)1522 78 78 38 | Email: sales@zylock.com | web: www.zylock.com | Zylock[®] is a brand of Fenco Group

ZYLOCK®

SAFETY DATA SHEET

Zylock PL011 GREEN

Pag	e:	5

Viscosity:	Viscous	Melting point/range°C:	Not Determined
Boiling point/range°C:	Not Determined	upper:	Not Determined
Flammability limits %: lower:	Not Determined	Autoflammability°C:	Not Determined
Flash point°C:	Not Determined	Relative density:	1.033
Vapour pressure:	Not Determined	VOC	g/l: 96
pH:	Not Determined		

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State:	Liquid
Colour:	Green
Odour:	Sweet-smelling
Viscosity:	Viscous
Boiling point/range°C:	ikke bestemt Flammability limits %: lower: ikke bestemt
upper:	ikke bestemt Flash point°C: ikke bestemt
Autoflammability°C:	ikke bestemt Vapour pressure: ikke bestemt
Relative density:	1.031
pH:	ikke bestemt
VOC g/l:	48

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions. Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Heat.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

[cont...]



The information contained herein is produced in good faith and is believed to be reliable but is for guidance only. Zylock[®] and its agents cannot assume liability or responsibility for results obtained in the use of its products by persons whose methods are outside or beyond our control. It is the users responsibility to determine the suitability of any of the products and methods of use or preparation prior to use mentioned in our literature and furthermore the users responsibility to observe and adopt such precautions as may be advisable for the protection of personnel and property in the handling and use of any of our products.



10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

11.1. Information on toxicological effects

Hazardous ingredients:

ISOBUTYL METHACRYLATE						
GASES	MUS	LD50	29.7	mg/l		
ORAL	RAT	LD50	>5000	mg/kg		
CUMENE HYDROPEROXIDE						
ORL	MUS	LDLO	5	gm/kg	gm/kg	
ORL	RAT	LD50	382	mg/kg	mg/kg	
SCU	RAT	LD50	382	mg/kg	mg/kg	

Relevant effects for mixture:				
Effect	Route	Basis		
Irritation	OPT INH	Hazardous: calculated		
Sensitisation	DRM	Hazardous: calculated		

Symptoms / routes of exposure

Skin contact:	t: There may be irritation and redness at the site of contact.		
Eye contact:	There may be irritation and redness. The eyes may water profusely.		
Ingestion:	There may be soreness and redness of the mouth and throat.		
Inhalation:	There may be irritation of the throat with a feeling of tightness in the chest. Exposure may cause coughing or wheezing.		
Delayed / immediate effects:	Immediate effects can be expected after short-term exposure.		

Section 12: Ecological information

12.1. Toxicity

Hazardous ingredients:

ISOBUTYL METHACRYLATE				
Daphnia magna	48H EC50	>29	mg/l	
GREEN ALGA (Selenastrum capricornutum)	72H IC50	16	mg/l	
RAINBOW TROUT (Oncorhynchus mykiss	96H LC50	20	mg/l	

[cont...]

The information contained herein is produced in good faith and is believed to be reliable but is for guidance only. Zylock[®] and its agents cannot assume liability or responsibility for results obtained in the use of its products by persons whose methods are outside or beyond our control. It is the users responsibility to determine the suitability of any of the products and methods of use or preparation prior to use mentioned in our literature and furthermore the users responsibility to observe and adopt such precautions as may be advisable for the protection of personnel and property in the handling and use of any of our products.

Fenco Group Ltd, 18 Crofton Drive, Allenby Industrial Estate, Lincoln LN3 4NR, England | Tel: +44(0)1522 78 79 78 Fax: +44(0)1522 78 78 38 | Email: sales@zylock.com | web: www.zylock.com | Zylock[®] is a brand of Fenco Group



12.2. Persistence and degradability

Persistence and degradability: Biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

Mobility: Readily absorbed into soil.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal company.NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

Section 14: Transport information

Transport class: This product does not require a classification for transport.

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

[cont...]

The information contained herein is produced in good faith and is believed to be reliable but is for guidance only. Zylock[®] and its agents cannot assume liability or responsibility for results obtained in the use of its products by persons whose methods are outside or beyond our control. It is the users responsibility to determine the suitability of any of the products and methods of use or preparation prior to use mentioned in our literature and furthermore the users responsibility to observe and adopt such precautions as may be advisable for the protection of personnel and property in the handling and use of any of our products.



Zylock PL011 GREEN

Section 16: Other information

Other information

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No 453/2010. * indicates text in the SDS which has changed since the last revision. FORKORTELSER PBT - Vedvarende bioakkumulerende giftige VOC - volitile organisk innhold STP - renseanlegg LC50 - dødelig konsentrasjon 50% LD50 - dødelig dose 50% PNEC - spådd ingen effekt nivå RBT - kanin ORL - muntlig INH - innånding Phrases used in s.2 and s.3: H226: Flammable liquid and vapour. H242: Heating may cause a fire. H302: Harmful if swallowed. H312: Harmful in contact with skin. H314: Causes severe skin burns and eye damage. H315: Causes skin irritation. H317: May cause an allergic skin reaction. H319: Causes serious eye irritation. H331: Toxic if inhaled. H335: May cause respiratory irritation. H373: May cause damage to organs <or state all organs affected, if known> through prolonged or repeated exposure <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>. H400: Very toxic to aquatic life. R7: May cause fire. R10: Flammable. R21/22: Harmful in contact with skin and if swallowed. R23: Toxic by inhalation. R34: Causes burns. R36/37/38: Irritating to eyes, respiratory system and skin. R36/37: Irritating to eyes and respiratory system. R43: May cause sensitisation by skin contact. R48/20/22: Harmful: danger of serious damage to health by prolonged exposure through inhalation and if swallowed. R50: Very toxic to aquatic organisms. R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

[cont...]

ZYLOCK The information contained herein is produced in good faith and is believed to be reliable but is for guidance only. Zylock[®] and its agents cannot assume liability or responsibility for results obtained in the use of its products by persons whose methods are outside or beyond our control. It is the users responsibility to determine the suitability of any of the products and methods of use or preparation prior to use mentioned in our literature and furthermore the users responsibility to observe and adopt such precautions as may be advisable for the protection of personnel and property in the handling and use of any of our products.

ZYLOCK[®]

SAFETY DATA SHEET

Zylock PL011 GREEN

		гаус.
Legend to abbreviations:	PNEC = predicted no effect level	
	DNEL = derived no effect level	
	LD50 = median lethal dose	
	LC50 = median lethal concentration	
	EC50 = median effective concentration	
	IC50 = median inhibitory concentration	
	dw = dry weight	
	bw = body weight	
	cc = closed cup	
	oc = open cup	
	MUS = mouse	
	GPG = guinea pig	
	RBT = rabbit	
	HAM = hamster	
	HMN = human	
	MAM = mammal	
	PGN = pigeon	
	IVN = intravenous	
	SCU = subcutaneous	
	SKN = skin	
	DRM = dermal	
	OCC = ocular/corneal	
	PCP = phycico-chemical properties	
Legal disclaimer:	This company shall not be held liable for any damage resulting from handling or from contact with the above product.	
		[final page

[final page]

The information contained herein is produced in good faith and is believed to be reliable but is for guidance only. Zylock[®] and its agents cannot assume liability or responsibility for results obtained in the use of its products by persons whose methods are outside or beyond our control. It is the users responsibility to determine the suitability of any of the products and methods of use or preparation prior to use mentioned in our literature and furthermore the users responsibility to observe and adopt such precautions as may be advisable for the protection of personnel and property in the handling and use of any of our products.